

**Notice of Allowability**

Application No.

09/527,892

Examiner

Dwayne K Handy

Applicant(s)

SCHERMER ET AL.

Art Unit

1743

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment and arguments filed 10-24-03.
  2. ☒ The allowed claim(s) is/are 1-24 and 48-53.
  3. ☒ The drawings filed on 20 March 2000 are accepted by the Examiner.
  4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    - a) ☐ All b) ☐ Some\* c) ☐ None of the:
      1. ☐ Certified copies of the priority documents have been received.
      2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
      3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
    - (a) ☐ The translation of the foreign language provisional application has been received.
  6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No. \_\_\_\_\_.
  - (b) ☐ including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |                                                                                                        |                                                                                     |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892)                                        | 5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)          |
| 2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                    | 6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____             |
| 3 <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____  | 7 <input checked="" type="checkbox"/> Examiner's Amendment/Comment                  |
| 4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
|                                                                                                        | 9 <input type="checkbox"/> Other                                                    |

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Rajesh Vallabh on 12/4/03.

2. The application has been amended as follows:

Claims 25-48 have been canceled.

### ***Allowable Subject Matter***

3. Claims 1-24 and 48-53 are allowed.

4. The following is an examiner's statement of reasons for allowance:

Applicant has claimed a method of determining the locations of pins in the printhead of a microarray spotting instrument comprised of the following steps: providing a printhead of a microarray spotting instrument, said printhead having a plurality of fluid dispensing pins releasably or movably positionable in a plurality of pin locations in the printhead, providing a pin detection apparatus, and using the pin detection apparatus to detect whether or not a pin is present at it's given location for each pin location in the printhead. Applicant has also claimed a microarray spotting

Art Unit: 1743

instrument comprised of a printhead with a plurality of fluid dispensing pins movable or releasably mounted in the printhead, a substrate station for holding a substrate, a well station for holding sample material, a positioning mechanism for moving the printhead, a controller for controlling movement of the printhead, and a pin detection apparatus for automatically detecting the absence or presence of the fluid dispensing pins in the printhead. In claim 50, applicant has claimed a method of printing on a substrate using the printhead and then determining whether or not the pin is stuck in a raised position. The Examiner did not find prior art which contained or suggested the method and apparatus of the amended claims. The Examiner considers the previously cited prior art "El-Hage" to be the closest prior art to the instant invention. El-Hage shows an aspirating device with a dispensing part and rod or probe part. The device uses a circuit board to determine when the probe rod is attached to the dispensing part of the device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dwayne K Handy whose telephone number is (703)-305-0211. The examiner can normally be reached on M-F 8:00-4:30.

Application/Control Number: 09/527,892


Page 4

Art Unit: 1743

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on (703)-308-4037. The fax phone number for the organization where this application or proceeding is assigned is (703)-872-9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-308-0661.

Dkh  
December 4, 2003

  
Jill Warden  
Supervisory Patent Examiner  
Technology Center 1700